

APPLICATION:

Dilute 2-4 g (0.071-0.141 oz) per 4 L (1 gallon) of water throughout the life cycle of any fruit or flower producing plants.

(Refer to Feeding Schedule on driphydro.com)



THIS PRODUCT IS 100% WATER SOLUBLE

FOR HYDROPONIC USE ONLY

USE ONLY AS DIRECTED AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

DO NOT POUR RESIDUAL FERTILIZER INTO RIVERS, LAKES, STREAMS, DAMS, CANALS AND/OR THE OCEAN.

Store product in original packaging in a dry location at a temperature between 45°F-85°F / 7°C-30°C.

For more detailed information, please visit: driphydro.com

F003112

powder a

GUARANTEED ANALYSIS:

Total Nitrogen (N)	15.0%
15.0% Nitrate Nitrogen	
Calcium (Ca)	19.0%

DERIVED FROM:

Calcium Nitrate

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

*Information about the components of this lot of fertilizer may be obtained by writing:
Canopy Crop Management
5619 DTC Parkway, Suite 900
Greenwood Village, CO 80111
and giving the lot number:*

Made in Mexico

Manufacture Date

APPLICATION:

Dilute 3-4 g (0.106-0.141 oz) per 4 L (1 gallon) of water throughout the life cycle of any fruit or flower producing plants.

(Refer to Feeding Schedule on driphydro.com)



THIS PRODUCT IS 100% WATER SOLUBLE

FOR HYDROPONIC USE ONLY

USE ONLY AS DIRECTED AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

DO NOT POUR RESIDUAL FERTILIZER INTO RIVERS, LAKES, STREAMS, DAMS, CANALS AND/OR THE OCEAN.

Store product in original packaging in a dry location at a temperature between 45°F-85°F / 7°C-30°C.

For more detailed information, please visit: driphydro.com

F003112

powder b

GUARANTEED ANALYSIS:

Available Phosphate (P ₂ O ₅)	7.0%
Soluble Potash (K ₂ O)	25%
Magnesium (Mg)	4.65%
4.65% Water Soluble Magnesium	
Sulfur (S)	13.10%
13.10% Combined Sulfur	

DERIVED FROM:

Monopotassium Phosphate, Potassium Sulfate, Magnesium Sulfate

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

*Information about the components of this lot of fertilizer may be obtained by writing:
Canopy Crop Management
5619 DTC Parkway, Suite 900
Greenwood Village, CO 80111
and giving the lot number:*

Made in Mexico

Manufacture Date

APPLICATION:

Dilute 1-2 g (0.035-0.071 oz) per 4 L (1 gallon) of water throughout the life cycle of any fruit or flower producing plants.

(Refer to Feeding Schedule on driphydro.com)



THIS PRODUCT IS 100% WATER SOLUBLE

FOR HYDROPONIC USE ONLY

USE ONLY AS DIRECTED AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

DO NOT POUR RESIDUAL FERTILIZER INTO RIVERS, LAKES, STREAMS, DAMS, CANALS AND/OR THE OCEAN.

Store product in original packaging in a dry location at a temperature between 45°F-85°F / 7°C-30°C.

For more detailed information, please visit: driphydro.com

F003112

powder c

GUARANTEED ANALYSIS:

Available Phosphate (P ₂ O ₅)	32%
Soluble Potash (K ₂ O)	32%
Magnesium (Mg)	2.96%
2.96% Water Soluble Magnesium	
Sulfur (S)	7.28%
7.28% Combined Sulfur	

DERIVED FROM:

Monopotassium Phosphate, Potassium Sulfate, Magnesium Sulfate

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

*Information about the components of this lot of fertilizer may be obtained by writing:
Canopy Crop Management
5619 DTC Parkway, Suite 900
Greenwood Village, CO 80111
and giving the lot number:*

Made in Mexico

Manufacture Date

APPLICATION:

Dilute 0.12-0.25 g (0.004-0.009 oz) per 4 L (1 gallon) of water throughout the life cycle of any fruit or flower producing plants.

(Refer to Feeding Schedule on driphydro.com)



THIS PRODUCT IS 100% WATER SOLUBLE

FOR HYDROPONIC USE ONLY

USE ONLY AS DIRECTED AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

DO NOT POUR RESIDUAL FERTILIZER INTO RIVERS, LAKES, STREAMS, DAMS, CANALS AND/OR THE OCEAN.

WARNING: THE APPLICATION OF FERTILIZING MATERIALS CONTAINING MOLYBDENUM (Mo) MAY RESULT IN FORAGE CROPS CONTAINING LEVELS OF MOLYBDENUM (Mo) WHICH ARE TOXIC TO RUMINANT ANIMALS.

WARNING: THE USE OF THE FERTILIZING MATERIAL ON ANY CROPS OTHER THAN THOSE RECOMMENDED MAY RESULT IN SERIOUS INJURY TO THE CROP(S). SOME CROPS MAY BE INJURED BY APPLICATION OF BORON

Store product in original packaging in a dry location at a temperature between 45°F-85°F / 7°C-30°C.

For more detailed information, please visit: driphydro.com

F003112

powder d

GUARANTEED ANALYSIS:

Boron (B)	0.98%
Copper (Cu)	0.25%
0.25% Chelated Copper (Cu)	
Iron (Fe)	8.13%
8.13% Chelated Iron (Fe)	
Manganese (Mn)	2.60%
2.60% Chelated Manganese (Mn)	
Molybdenum (Mo)	0.98%
Zinc (Zn)	1.30%
1.30% Chelated Zinc (Zn)	

DERIVED FROM:

Zinc EDTA, Iron EDTA, Manganese EDTA, Copper EDTA, Sodium Borate, Sodium Molybdate

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

Information about the components of this lot of fertilizer may be obtained by writing:

Canopy Crop Management
5619 DTC Parkway, Suite 900
Greenwood Village, CO 80111
and giving the lot number:

Made in Mexico

Manufacture Date